

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
-----------------	---------------------	----------------	---------------	----------------------	---------------

98-03-19

OASIS OPTIONS	OPTION	DEFINITION	OASIS
<p><u>OPTIONS THAT AFFECT CARRIER SELECTION ARE IN BOLD TYPE</u></p> <p>OEP units have been replaced by (and are essentially the same as) PLF units. PLF stands for <u>pressure lead free</u>.</p>	-AE	Cooler has a timed push pad	
	-D	specific type of control valve switch	
	-E	specific type of control valve switch	
	DP	specific type of control valve switch	
	-EE	Same as PLF	
	ODP	Electric eye controlled valve	
	-Q	Electric eye controlled valve	
	-SL	Same as PLF	
	-V	Cooler has four push pads.	
		Split Level cooler or fountain	
	Versacooler		

96-04-18	DRINKING FOUNTAIN	<p>B = 39-1/8 C = 15-1/4 Δ = 40 to bottom of bubbler</p> <p>See Introduction about changes to rough in dimensions.</p>	17895	17895-M1508	OASIS	FLF110PM
----------	-------------------	--	-------	-------------	-------	----------

05-06-24	DRINKING FOUNTAIN	<p>B = 62-1/2 C = 18-1/4 H = 26-1/8 J = 15-5/16 Δ = 40 to rim</p> <p>Use row Z on top plate with cutouts up on both plates.</p> <p>See Introduction about changes to rough in dimensions.</p>	17560-WC	17560-WC-SP1 *	OASIS	FLF130
----------	-------------------	---	----------	-------------------	-------	--------

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
18-12-13	DRINKING FOUNTAIN	B = 62-1/2 C = 18-1/4 H = 28-5/8 J = 15-5/16 Δ = 40 to rim Use row Z on top plate with cutouts up on both plates. See Introduction about changes to rough in dimensions.	17560-WC	17560-WC-SP1 *	OASIS	FLF201PM
97-04-02	DRINKING FOUNTAIN	B = 33-3/16 C = 15-1/4 Δ = 36 to bubbler See Introduction about changes to rough in dimensions.	17895	17895-M1508	OASIS	FLF140PM
97-08-26	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting frame is provided by manufacturer.	OASIS	FLF231PM
12-03-28	WATER COOLER	See Introduction about changes to rough in dimensions.	17560-WC	17560-WC-SP1U	OASIS	M140RFZ
00-04-12	WATER COOLER	See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting frame is provided by manufacturer.	OASIS	M8SCEE M8SCPM

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
97-06-30	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.		Use of carrier is not recommended. Mounting frame is provided by manufacturer.	OASIS	MSSLPM
17-07-06	WATER COOLER	See Introduction about changes to rough in dimensions.	17560-WCBL	17560-WCBL	OASIS	PGF8EBFSL PG8FEBFSL
20-01-21	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17560-WC	17560-WC	OASIS	PG8SBF
18-10-22	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17560-WCBL	17560-WCBL	OASIS	PG8ACSL
25-04-01	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17560-WC	17560-WC	OASIS	PGV8SVBF
05-06-24	WATER COOLER	<p>$B = 37-13/16$</p> <p>$C = 18-1/4$</p> <p>$H = 11-7/8$</p> <p>$J = 12-1/4$</p> <p>$\Delta = 40$ to rim</p> <p>Use rows X and Z on top plate, row X on bottom plate.</p> <p>See Introduction about changes to rough in dimensions.</p>	17550-WC 17560-WC	17550-WC-SP1 * 17560-WC-SP1 *	OASIS	PLF1CM PLF3CM PLF5CM

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	WATER COOLER	B = 38 C = 18-1/4 H = 22-9/16 J = 7-1/8 Δ = 40 to rim See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1 * 17560-WC-SP1 *	OASIS	PLF8SM
05-06-24	DRINKING FOUNTAIN	See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1 * 17560-WC-SP1 *	OASIS	PLFCM
05-06-24	WATER COOLER	B = 33-1/2 C = 18-1/4 H = 19-1/8 Δ = 34-1/2 to bubbler See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1 17560-WC-SP1 Mount top plate cut out down.	OASIS	P8AM P8SBF PAM
05-06-24	WATER COOLER	B = 32 C = 18-1/4 H = 15-3/8 Δ = 33 to bubbler See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1 17560-WC-SP1 Mount top plate cut out down.	OASIS	P8AC PAC
05-06-24	WATER COOLER	B = 37 C = 18-1/4 C' = 36-1/2 E = 31 Δ = 37 1/32 Δ = 31 1/32 See Introduction about changes to rough in dimensions.	17550-WCBL	17550-WCBL-SP1 Mount Plates with cut-out's down.	OASIS	PACSL

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24 WATER COOLER	<p>$B = 40-5/8$ $C = 36-1/2$ $C' = 18-1/4$</p> <p>$D = 27-3/16$</p> <p>$E = 33-1/8$</p> <p>$F = 19-11/16$</p> <p>$\Delta_{high} = 40$ to rim $\Delta_{low} = 32-1/2$ to rim</p> <p>See Introduction about changes to rough in dimensions.</p>	17560-WCBL 17550-WCBL	17560-WCBL-SP1 17550-WCBL-SP1	OASIS	P8AMSL P8AMSLEE AQUARIUS 98 lb net weight
05-06-24 WATER COOLER	<p>$B = 32-5/8$ $C = 18-1/4$ $H = 16-23/32$ $J = 15$ $\Delta = 36$</p> <p>See Introduction about changes to rough in dimensions.</p>	17550-WC 17560-WC	17550-WC-SP1U 17560-WC-SP1U	OASIS	PLF8M
96-05-08 WATER COOLER	<p>$B = 37-15/16$ $C = 34$ $C' = 17$ $D = 24$ $E = 32-1/16$ $F = 18-1/8$ $\Delta_{high} = 40$ $\Delta_{low} = 34-1/8$</p> <p>See Introduction about changes to rough in dimensions.</p>	17905 17910	17905-M1493 17910-M1493	OASIS	PLF8WMQSL

CARRIER SELECTION AND FIXTURE ROUGHING-IN DIMENSIONS

	TYPE OF FIXTURE	ROUGH-IN DIMENSIONS	CARRIER SERIES	CARRIER MODEL	FIXTURE MANUFACTURER	FIXTURE MODEL
05-06-24	WATER COOLER	B = 50 C = 18-1/4 H = 22-9/16 J = 14-5/16 Δ = 35-3/4 See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1S 17560-WC-SP1S	OASIS	PLF8SKPE PLF8SKTP
05-06-24	WATER COOLER	B = 32-5/8 C = 18-1/4 H = 16-23/32 J = 15 Δ = 36 to bubbler See Introduction about changes to rough in dimensions.	17550-WC 17560-WC	17550-WC-SP1U 17560-WC-SP1U	OASIS	PSF8WMQ
12-07-17	WATER COOLER	See Introduction about changes to rough in dimensions.	17550-WC	17550-WC	OASIS	PG8AC PGAC PGF8AC PGFAC
13-07-30	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WCBL-M1709	OASIS	P8ACSL P8ACSLEE PF8ACSLEE PF8ACSL PVF8ACSL PGV8ACSL
13-12-10	WATER COOLER	See Introduction about changes to rough in dimensions.	17560	17560-WC-M1714	OASIS	PGVAC PGVAC-14G PGV8AC PGV8AC-14G